

Publications 2008

1. Babu BV and Mishra S. Mass drug administration under the programme to eliminate lymphatic filariasis in Orissa, India: a mixed-methods study to identify factors associated with compliance and non-compliance. *Trans R Soc Trop Med Hyg.* 2008; 102 (12) 1207-1213. DOI: [10.1016/j.trstmh.2008.05.023](https://doi.org/10.1016/j.trstmh.2008.05.023)
2. Bulliyya G, Dwibedi B, Mallick G, Sethy GS, Kar SK. Determination of iodine nutrition and community knowledge regarding iodine deficiency disorders in selected tribal blocks of Orissa, India. *Journal of Pediatric Endocrinology & Metabolism.* 2008; 21(1): 79-88. DOI: [10.1515/jpem.2008.21.1.79](https://doi.org/10.1515/jpem.2008.21.1.79)
3. Kerketta AS, Mohapatra SSS, and Kar, SK. Assessment of the therapeutic efficacy of chloroquine in the treatment of uncomplicated Plasmodium falciparum malaria in a tribal block of the Kalahandi district of Orissa, India. *Tropical Doctor.* 2008; (38): 82-83. DOI: [10.1258/td.2007.070010](https://doi.org/10.1258/td.2007.070010)
4. Kerketta AS, K Dhal and Nayak RN. A successful outcome of gross haematuria treated with diethylcarbamazine and Ivermectin. *Trans R Soc Trop Med Hyg.* 2008; 102(5): 506-507. DOI: [10.1016/j.trstmh.2008.02.008](https://doi.org/10.1016/j.trstmh.2008.02.008)
5. Khuntia HK, Pal BB, P.K. Meher and Chhotray GP. Short Report: Environmental Vibrio cholerae O139 may be the progenitor of cholera outbreak in coastal district of Orissa, India, 2000: A molecular evidence. *American Journal of Tropical Medicine & Hygiene.* 2008; 78 (5): 819-822. DOI: [10.4269/ajtmh.2008.78.819](https://doi.org/10.4269/ajtmh.2008.78.819)
6. Khuntia HK, Pal BB, Chhotray GP (2008). Quadriplex PCR Assay simultaneous for detection of biotype, serotype, toxigenic potential and central regulating factor of V.cholerae. *Journal of clinical Microbiology.* 2008; 46 (7):2399-401. DOI: [10.1128/JCM.00024-08](https://doi.org/10.1128/JCM.00024-08)
7. Khuntia HK, Samal SK, Nayak SR, A.K. Sarangi AK, Mohanty P, Kar SK and Pal BB. Incidence, Serotype, antibiogram and Toxigenicity of V.cholerae during 2000, six months after the Super Cyclone, 1999 in Orissa, India. *Journal of Pure and Applied Microbiology.* 2008; (2):187-204.
8. Khuntia HK, Samal SK, Sarangi AK, Nayak SR, Kar S K, and Pal BB. Ecological interaction of toxigenic vibrio cholerae in aquatic environment. *Current world Environment.* 2008; 3: 109-113. DOI: [10.12944/CWE.3.1.14](https://doi.org/10.12944/CWE.3.1.14)
9. Khuntia HK, Samal SK, Sarangi Ak, Nayak SR, Sahoo D, Kar Sk, and Pal BB. Spectrum of Multiple antibiotic resistance among clinical strains of vibrio cholerae O1 and O139 isolates during 1999-2003 in Orissa, India. *Biochemical & Pharmacology Journal.* 2008; 1 (1): 177-184.
10. Mandal NN, Bal MS, Das MK, Beuria MK. Protective efficacy of filarial surface antigen in experimental filariasis. *J Helminthology.* 2008; 16: 1-4. DOI: [10.1017/S0022149X08087117](https://doi.org/10.1017/S0022149X08087117)
11. Mishra S, Swain BK, Babu BV. Sexual risk behaviour among migrant tribals living in urban slums of an eastern Indian city: implications on the spread of HIV. *Coll Antropol.* 2008; 32(1):1-4.

12. Nishank SS, Ranjit MR and Chhotray GP. First report of non-sense mutation at codon 15 (TGG→TAG) in exon 1 of β -globin gene in a β thalassaemia trait in state of Orissa (India). *Hematology*.2008;13(1):65-67.DOI: [10.1179/102453308X315852](https://doi.org/10.1179/102453308X315852)
13. Nishank SS, Chhotray GP, Kar SK & Ranjit MR. Molecular variants of G6PD deficiency among certain tribal communities of Orissa (India). *Ann Hum Biol*. 2008; 35(3):355-61.DOI: [10.1080/03014460801961289](https://doi.org/10.1080/03014460801961289)
14. Sahu BR, Mohanty MC, Sahoo PK, Satapathy AK and Ravindran B. Protective immunity in human filariasis: A role for parasite specific IgA responses. *Journal of Infectious Diseases*. 2008; 198:434-43.DOI: [10.1086/589881](https://doi.org/10.1086/589881)
15. Samal SK , K. Khuntia HK, Sarangi AK , Nayak SR, Sahoo N , Chhotray GP and Pal BB (2008). Incidence of bacterial enteropathogens among hospitalized diarrhoea patients from Orissa, India. *Japanese J. Infectious Diseases*, 2008; 61(5): 350-355.