

Publications 2009

1. Babu BV, Kar SK. Domestic violence against women in eastern India: a population-based study on prevalence and related issues. *BMC Public Health.* 2009; 9(9):129.DOI: [10.1186/1471-2458-9-129](https://doi.org/10.1186/1471-2458-9-129)
2. Babu BV, Mishra S, Nayak AN. Marriage, sex, and hydrocele: an ethnographic study on the effect of filarial hydrocele on conjugal life and marriageability from orissa, India. *PLoS Negl Trop Dis.* 2009; 3(4):414.DOI: [10.1371/journal.pntd.0000414](https://doi.org/10.1371/journal.pntd.0000414)
3. Bal MS, Beuria MK, Mandal NN and Das MK. Antigenaemia in young children living in Wuchereria bancrofti endemic areas of Orissa. *Trans R Soc Trop Med Hyg.* 2009; 103:262-265.DOI: [10.1016/j.trstmh.2008.08.006](https://doi.org/10.1016/j.trstmh.2008.08.006)
4. Bal MS, Mandal NN, Das MK, Kar SK, Sarangi SS, Beuria MK. Transplacental transfer of filarial antigens from Wuchereria bancrofti-infected mothers to their offspring. *Parasitology.* 2009; 23:1-5.DOI: [10.1017/S0031182009991478](https://doi.org/10.1017/S0031182009991478)
5. Das A, Manickam P, Yvan Hulin, , B. Pattnaik Pal BB, Chhotray GP, Kar SK and Gupte MD.Two sequential outbreaks in two villages illustrate modes of transmission of cholera. *Epidemiology and infection.* 2009; 137(6):906-12. DOI: [10.1017/S0950268808001611](https://doi.org/10.1017/S0950268808001611)
6. Das A, Manickam P, Hulin Y, Pal BB, Chhotray GP, Kar SK, Gupte MD. An outbreak of cholera associated with an unprotected well in Parbatia, Orissa, Eastern India. *J Health Popul Nutr.* 2009; 27(5):646-51.DOI: [10.3329/jhpn.v27i5.3641](https://doi.org/10.3329/jhpn.v27i5.3641)
7. Das Anamika, Das TK, Sahu U, Das BP, Kar SK and Ranjit MR. CD36 T188G gene polymorphism and severe falciparum malaria in India. *Trans R Soc Trop Med Hyg.* 2009; 203(7):687-90.DOI: [10.1016/j.trstmh.2008.11.015](https://doi.org/10.1016/j.trstmh.2008.11.015)
8. Dhangadamajhi G, Kar SK and Ranjit MR. High prevalence and gender bias in distribution of Plasmodium malariae infection in central east-coast India. *Trop Biomed.* 2009; 26(3):326-33.
9. Dhangadamajhi G, Mohapatra BN, Kar SK and Ranjit M.Genetic variation in neuronal nitric oxide synthase (nNOS) gene and susceptibility to cerebral malaria in Indian adults. *Infect Genet Evol.* 2009; 9(5):908-11.
10. Dhangadamajhi G, Mohapatra BN, Kar SK, Ranjit MR (2009).The CCTTT pentanucleotide microsatellite in iNOS promoter influences the clinical outcome in *P. falciparum* infection. *Parasitology Research.* 2009; 104:1315-20.DOI: [10.1007/s00436-009-1329-9](https://doi.org/10.1007/s00436-009-1329-9)
11. Dhangadamajhi G, Mohapatra BN, Kar SK and Ranjit MR. Endothelial nitric oxide synthase (eNOS) gene polymorphisms and *P falciparum* infection in Indian adults. *Infection & Immunity.*2009; 77 (7):2943-7.
12. Dwibedi B, Pramanik JM, Sahu P, Kar SK and Moharana T. Prevalence of genital Chlamydia infection in females attending an Obstetrics and Gynecology out patient department in Orissa. *Indian J Dermatol Venereol Leprol.* 2009; 75(6):614-6. DOI: [10.4103/0378-6323.57730](https://doi.org/10.4103/0378-6323.57730)
13. Kerketta AS, Babu BV, Mohapatra S S S, Kar S K. Clinical profile of lymphatic Filariasis in children: a hospital based stucy from Orissa. *Indian Paediatrics.* 2009; 46(3):261.

14. Kerketta AS and Babu BV. Clinicians' attitude on mass drug administration under the programme to eliminate lymphatic filariasis: a qualitative study from Orissa, India. *Asia Pac J Public Health.* 2009; 21(1): 112-7.DOI: [10.1177/1010539508327032](https://doi.org/10.1177/1010539508327032)
15. Kerketta AS, Bulliyya G, Babu BV, Mohapatra SSS, Nayak RN. Health status of the elderly population among four primitive tribes of Orissa, India: A clinico epidemiological study. *Z Gerontol Geriatr.* 2009; 42:53-59.DOI: [10.1007/s00391-008-0530-2](https://doi.org/10.1007/s00391-008-0530-2)
16. Mand S, Pfarr K, Sahoo PK, Satapathy AK, Specht S, Klarmann U, Debrah AY, Ravindran B, and Hoerauf A .Macrofilaricidal Activity and Amelioration of Lymphatic Pathology in Bancroftian Filariasis after 3 Weeks of Doxycycline followed by Single-Dose Diethylcarbamazine. *Am. J. Trop. Med. Hyg.* 2009; 81:702-711.DOI: [10.4269/ajtmh.2009.09-0155](https://doi.org/10.4269/ajtmh.2009.09-0155)
17. Mandal NN, Bal MS, Das MK and Beuria MK. Protective efficacy of a filarial surface antigen in experimental filariasis. *Journal of Helminthology.* 2009; 83: 47 - 50.
18. Mohanty A, Swain S, Kar SK and Hazra RK. Analysis of the Phylogenetic Relationship of Anopheles Species, Subgenus Cellia (Diptera: Culicidae) and Using It to Define the Relationship of Morphologically Similar Species. *Infect Genet Evol.* 2009; 9(6):1204-24.DOI: [10.1016/j.meegid.2009.06.021](https://doi.org/10.1016/j.meegid.2009.06.021)
19. Mohanty A, Swain S, Singh DV, Mahapatra N, Kar SK, Das AP and Hazra RK. A unique methodology for mapping the spread of chloroquine-resistant strains of Plasmodium falciparum, in previously unreported areas, by analyzing the anophelines of malaria endemic zones of Orissa, India. *Inf. Gen.Evol.* 2009; 9(4):462-7. DOI: [10.1016/j.meegid.2009.01.005](https://doi.org/10.1016/j.meegid.2009.01.005)
20. Pal BB, Khuntia HK, Samal SK, Kar SK and Patnaik B. Epidemics of severe cholera caused by El Tor Vibrio cholerae O1 Ogawa possessing the ctxB gene of the classical biotype in Orissa, India. *Int J Infect Dis.* 2009; 23.DOI: [10.1016/j.ijid.2009.06.020](https://doi.org/10.1016/j.ijid.2009.06.020)
21. Ranjit MR , Sahu U, Khatua CR, Mohapatra BN, Achraya A S and Kar S K. Chloroquine-resistant p falciparum parasites and severe malaria in Orissa. *Current Science.* 2009; 96:1608-1611.
22. Swain S, Mohanty A, Mahapatra N, Parida SK, Marai NS, Tripathy HK, Kar SK and Hazra RK. The development and evaluation of a single step multiplex PCR for simultaneous detection of Anopheles annularis group mosquitoes, human host preference and Plasmodium falciparum sporozoite presence. *Trans R Soc Trop Med Hyg.* 2009; 103; 11:1146-52.DOI: [10.1016/j.trstmh.2009.03.022](https://doi.org/10.1016/j.trstmh.2009.03.022)
23. Rout R, Mohapatra BN, Kar SK and Ranjit MR. Genetic complexity and transmissibility of *Plasmodiumfalciparum* parasites causing severe malaria in central-east coast India. *Trop Biomed.* 2009; 26: 165–172 .
24. Khuntia HK, Samal SK, Kar SK and Pal BB. Emergence of Nalidixic Acid Resistant Vibrio cholerae O139 in Orissa, India and identification of its responsible protein component. *Journal of Pure and Applied Microbiology.* 2009; 3(1): 371-374.
25. Kumar S, Parida S.K, Marai N.S, Hazra R. K, Tripathy A, Kar S. K and Mahapatra N. Vectorial role of An. Subpictus and An. Culicifacies in Angul district of Orissa, India. *Southeast Asian J. Trop. Med Public Health.* 2009;40(4):

26. Mahapatra N, Panda SP, Acharya AS, Hazra RK, Parida SK, Marai N, Kar SK, Mahapatra A, Narasinghan K, Mohapatra S and Mahavadani UV. Toxicological response of Culex Quantifascitus and An. Stephensii to two different plant extracts. *Journal of Current Sciences*. 2009;14(1):291-296.
27. Purohit B and Mahapatra A. A Review on High Burden of Malaria during Pregnancy: Need of Social Science Intervention. *Ethno Medicine*. 2009; 3 (1): pp- 33-38.
28. Nishank SS, Ranjit MR, Kar SK and Chhotray GP. Molecular variants and clinical importance of B thalassaemia traits found in the State of Orissa, India. *Hematology*.2009; 14(5):1-7.DOI: [10.1179/102453309X439845](https://doi.org/10.1179/102453309X439845)
29. Kerketta AS, Bulliyya G, Babu BV, Mohapatra SSS and Nayak RN. Health status of the elderly population among four primitive tribes of Orissa, India: A clinico epidemiological study. *Z Gerontol Geriatr*.2009 Feb;42(1):53-9DOI: [10.1007/s00391-008-0530-2](https://doi.org/10.1007/s00391-008-0530-2) (No pdf)